



Attestation Number: 8029-INP-24

Initial Effective Date: 21-Mar-2022

Attestation Expiry Date: 31-Mar-2025

Attestation of Input Compliance

This attestation is based on the compliance of products which are approved for use in organic production, at the discretion of the operator's certification body, with the national organic standards of Canada CAN/CGSB-32.310 and 32.311.

This attestation expires on the date noted above or until it is suspended or cancelled by the Centre for Systems Integration.

High Brix Manufacturing Inc.

25147 Township Road 490

Leduc County, AB, T4X 2N4, Canada.

This attestation confirms the compliance of the products as per the attached list.

Input Supplier #: 8029-INP

A handwritten signature in blue ink, appearing to read "Ryan W. K.", is written over a horizontal line.

Signature of CSI Representative

31-Mar-2024

Issue Date

Certification Body:

The Centre for Systems Integration (CSI)*
85 Albert Street, Suite 1100
Ottawa, Ontario, Canada K1P 6A4
1-800-516-3300



CSI
Centre for Systems Integration

Input Supplier: High Brix Manufacturing Inc.
Input Supplier Number: 8029-INP
Attestation Number: 8029-INP-24
Issue Date: 31-Mar-2024

LIST OF PRODUCTS APPROVED FOR USE IN ORGANIC PRODUCTION

An operator intending to use any product listed below as approved for use in organic production under the Canadian organic standards, CAN/CGSB-32.310 and CAN/CGSB-32.311, must verify with their certification body that the product is acceptable for use prior to incorporation into the organic system plan.

PRODUCT	Intended use (CF=crop fertility; CP=crop protection; LF=Livestock feed; LH=Livestock healthcare; P=Processing input)	BRAND NAME	RESTRICTIONS
Ful-Humix	CF	BIOAG	Shall not cause a build-up of heavy metals or micronutrients in soil.
Ful-Humix L	CF	BIOAG	Shall not cause a build-up of heavy metals or micronutrients in soil.
Ful-Power	CF	BIOAG	Shall not cause a build-up of heavy metals or micronutrients in soil.
Miicronized Soft Rock Phosphate	CF	High Brix Manufacturing	
Zumsil	CF	High Brix Manufacturing /Terra Tech	To be used when soil and plant silica deficiencies are documented by visual symptoms or by testing of soil and/or plant tissue, or when the need for a preventative application can be documented.
GSR Calcium Genesis Soil Rite Dormant Mix	CF	Soil Works	
GSR Calcium Genesis Soil Rite Growing Mix	CF	Soil Works	

Safety Data Sheet (SDS)

OSHA HazCom 2012 Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/29/2014

Reviewed on 06/27/2014

1 Identification

- **Product identifier**
- **Trade name: Ful-Humix (Potassium Humate)**
- **CAS Number:**
68514-28-3
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Faust Bio-Agricultural Services, Inc.
6080 Wigrich Road
Independence, OR 97351
(503) 838-2467
- **Emergency telephone number:** (503) 838-2467

2 Hazard(s) identification

- **Classification of the substance or mixture**



Causes skin irritation.
Causes serious eye irritation.
May cause respiratory irritation.

- **Label elements**
- **GHS label elements**
The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard statements**
Causes skin irritation.
Causes serious eye irritation.
May cause respiratory irritation.
- **Precautionary statements**
Avoid breathing dust/fume/gas/mist/vapors/spray.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
Wash thoroughly after handling.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Specific treatment (see on this label).
Take off contaminated clothing and wash before reuse.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
IF ON SKIN: Wash with plenty of water.
Call a POISON CENTER/doctor if you feel unwell.
Store locked up.

(Contd. on page 2)

Safety Data Sheet (SDS)

OSHA HazCom 2012 Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/29/2014

Reviewed on 06/27/2014

Trade name: Ful-Humix (Potassium Humate)

(Contd. of page 1)

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMS-ratings (scale 0 - 4)**

HEALTH	1	Health = 1
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

3 Composition/information on ingredients

- **Chemical characterization: Substances**
- **CAS No. Description**
68514-28-3 Ful-Humix (Potassium Humate)

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** In case of unconsciousness, place patient securely on side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Give large amounts of water. If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear dust mask
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Pick up mechanically.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling** No special precautions are necessary if used correctly.

(Contd. on page 3)

Safety Data Sheet (SDS)

OSHA HazCom 2012 Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/29/2014

Reviewed on 06/27/2014

Trade name: Ful-Humix (Potassium Humate)

(Contd. of page 2)

- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**
- **Components with occupational exposure limits:** Not required.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**
The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.
- **Eye protection:** Safety glasses

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Powder
Color:	Brown
Odor:	Not Distinctive
Odor threshold:	Not determined.
- **pH-value @ 20 °C (68 °F):** 8-9

(Contd. on page 4)

Safety Data Sheet (SDS)

OSHA HazCom 2012 Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/29/2014

Reviewed on 06/27/2014

Trade name: Ful-Humix (Potassium Humate)

(Contd. of page 3)

- **Change in condition**
 - Melting point/Melting range:** Not determined.
 - Boiling point/Boiling range:** Not determined.
- **Flash point:** Not applicable.
- **Flammability (solid, gaseous):** Product is not flammable.
- **Ignition temperature:**
 - Decomposition temperature:** Not determined.
- **Auto igniting:** Not determined.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**
 - Lower:** Not determined.
 - Upper:** Not determined.
- **Vapor pressure:** Not applicable.
- **Density @ 20 °C (68 °F):** 0.8-1.2 g/cm³ (6.676-10.014 lbs/gal)
- **Relative density** Not determined.
- **Vapour density** Not applicable.
- **Evaporation rate** Not applicable.
- **Solubility in / Miscibility with Water:** Soluble.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
 - Dynamic:** Not applicable.
 - Kinematic:** Not applicable.
- **Organic solvents:** 0.0 %
- **Other information** No further relevant information available.

10 Stability and reactivity

- **Reactivity** Stable under normal conditions
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Mild irritant effect.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.

(Contd. on page 5)

Safety Data Sheet (SDS)

OSHA HazCom 2012 Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/29/2014

Reviewed on 06/27/2014

Trade name: Ful-Humix (Potassium Humate)

(Contd. of page 4)

- **Additional toxicological information:**
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

Substance is not listed.

· **NTP (National Toxicology Program)**

Substance is not listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Water hazard class 1 (Self-assessment): slightly hazardous for water
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Landfill or agricultural application
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **UN-Number**
- **DOT, ADR, ADN, IMDG, IATA** Non-Regulated Material
- **UN proper shipping name**
- **DOT, ADR, ADN, IMDG, IATA** Non-Regulated Material
- **Transport hazard class(es)**
- **DOT, ADR, ADN, IMDG, IATA**
- **Class** Non-Regulated Material
- **Packing group**
- **DOT, ADR, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:**
- **Marine pollutant:** No
- **Special precautions for user** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.
- **UN "Model Regulation":** -

(Contd. on page 6)

Safety Data Sheet (SDS)

OSHA HazCom 2012 Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/29/2014

Reviewed on 06/27/2014

Trade name: Ful-Humix (Potassium Humate)

(Contd. of page 5)

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

• Section 355 (extremely hazardous substances):
--

Substance is not listed.

• Section 313 (Specific toxic chemical listings):
--

Substance is not listed.

• TSCA (Toxic Substances Control Act):

Substance is listed.

• Proposition 65

• Chemicals known to cause cancer:

Substance is not listed.

• Chemicals known to cause reproductive toxicity for females:
--

Substance is not listed.

• Chemicals known to cause reproductive toxicity for males:
--

Substance is not listed.

• Chemicals known to cause developmental toxicity:

Substance is not listed.

• Carcinogenic categories

• EPA (Environmental Protection Agency)
--

Substance is not listed.

• TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

• NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

• GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).
--

• Hazard pictograms



GHS07

• Signal word Warning

• Hazard statements

Causes skin irritation.

Causes serious eye irritation.

May cause respiratory irritation.

• Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray.
--

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.
--

Wash thoroughly after handling.

(Contd. on page 7)

Safety Data Sheet (SDS)

OSHA HazCom 2012 Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/29/2014

Reviewed on 06/27/2014

Trade name: Ful-Humix (Potassium Humate)

(Contd. of page 6)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

Take off contaminated clothing and wash before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

Call a POISON CENTER/doctor if you feel unwell.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

<ul style="list-style-type: none"> • National regulations:
--

Substance is not listed.

<ul style="list-style-type: none"> • State Right to Know
--

Substance is not listed.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Date of preparation / last revision** 06/29/2014 / -

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3